

TWO SHOT MOLDING METHOD AND ..... WITH SEAL MADE THEREBY

Application No. 10/087,215

Inventor: Martin D. H. Clarke

Docket No. 4594-001




Fig. 1




Fig. 2




Fig. 3

100037215-0524-02

TWO SHOT MOLDING METHOD AND ..... WITH SEAL MADE THEREBY

Application No. 10/087,215

Inventor: Martin D. H. Clarke

Docket No. 4594-001




Fig. 4




Fig. 5




Fig. 6

100037215-052402

TWO SHOT MOLDING METHOD AND .....WITH SEAL MADE THEREBY

Application No. 10/087,215

Inventor: Martin D. H. Clarke

Docket No. 4594-001




Fig. 7




Fig. 8

10087215.052402

TWO SHOT MOLDING METHOD AND ..... WITH SEAL MADE THEREBY

Application No. 10/087,215  
Inventor: Martin D. H. Clarke  
Docket No. 4594-001




Fig. 9

10087215-052402

TWO SHOT MOLDING METHOD AND .....WITH SEAL MADE THEREBY

Application No. 10/087,215  
Inventor: Martin D. H. Clarke  
Docket No. 4594-001




Fig. 10




Fig. 11

1000037215 - 05241025

TWO SHOT MOLDING METHOD AND ..... WITH SEAL MADE THEREBY

Application No. 10/087,215

Inventor: Martin D. H. Clarke

Docket No. 4594-001




Fig. 12




Fig. 13

10087215 - 0524102